



DAE
IFW

PATENT
Docket No.: 19603/3296 (CRF D-2098C)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants	:	Bogdanove et al.)	Examiner:
)	A. Desai
Serial No.	:	09/596,784)	
)	Art Unit:
Cnfrm. No.	:	3745)	1653
)	
Filed	:	June 19, 2000)	
)	
For	:	HYPERSENSITIVE RESPONSE ELICITOR)	
		FROM <i>ERWINIA AMYLOVORA</i> , ITS USE,)	
		AND ENCODING GENE)	

REQUEST FOR RECALCULATION OF PATENT TERM ADJUSTMENT


Mail Stop Petition
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the patent term adjustment identified on form PTOL-85, applicants have identified what appears to be an error in the calculation thereof. Applicants therefore request that the U.S. Patent and Trademark Office ("PTO") re-calculate the patent term adjustment for the above-identified application. Because this error appears to be the fault of the PTO, no fee is enclosed herewith.

Respectfully submitted,

Date: August 9, 2004


Edwin V. Merkel
Registration No. 40,087

NIXON PEABODY LLP
Clinton Square, P.O. Box 31051
Rochester, New York 14603-1051
Telephone: (585) 263-1128
Facsimile: (585) 263-1600

